

# 3D CAD Package Deliverables

---

## 3D CAD Package

The 3D Package is only available in Imperial Units, available for any property under 10,000 SF (under 150 scans) and Premium Only. The following items are available in the 3D CAD Package:

- **Point Cloud:** In the form of a DXF (.dxf) file, Point Cloud is available against the wall segments drawn for the iGUIDE Virtual Tour.
  - Provided by Default.
    - See 2D CAD Package Deliverables.
- **Floor Plans:** 2D AutoCAD 2018 drawing file (.dwg).
  - Provided by Default.
    - See 2D CAD Package Deliverables.
- **Ceiling Plans:** 2D AutoCAD 2018 drawing file (.dwg).
  - Provided as an Add-on.
    - See 2D CAD Package Deliverables.
- **Elevation Plans:** 2D AutoCAD 2018 drawing file (.dwg).
  - Provided by Default.
- **Roof Plans:** 2D AutoCAD 2018 drawing file (.dwg).
  - Provided by Default.
- **Dimension Plans:** 2D AutoCAD 2018 drawing file (.dwg).
  - Provided by Default.
    - See 2D CAD Package Deliverables.
- **Model:** 3D Revit 2020 file (.rvt).
  - Provided by Default.
- **Plotted Package:** 8.5x11 drawing package containing the floor plans, point cloud captures, dimension plans, ceiling plans, elevations, roof & legend.
  - Provided by Default.
    - See 2D CAD Package Deliverables.
- **Delivery Time:** 7-14 business days for properties under 10,000ft<sup>2</sup>. Please contact the Support Team for properties over 10,000ft<sup>2</sup>. Delivery times will vary due to property size and complexity.  
\*Delivery time is dependent on property size & complexity which may exceed 7-14 business days. Excluding Saturdays & Sundays, holidays, and outside office hours (Mon-Fri 9 am-5 pm ET).

Premium	
<b>Included</b>	<ul style="list-style-type: none"> <li>✓ Point Cloud (.dxf)</li> <li>✓ Floor Plans (.dwg)</li> <li>✓ Ceiling Plans (.dwg)</li> <li>✓ Dimension Plans (.dwg)</li> <li>✓ Elevation Plans (.dwg)</li> <li>✓ Roof Plans (.dwg)</li> <li>✓ Model (.rvt)</li> <li>✓ 8.5x11 Plotted Package (.pdf)</li> </ul>
<b>Not Included</b>	<ul style="list-style-type: none"> <li>✗ Mechanical/Electrical/Plumbing Plans</li> <li>✗ Life Safety/Building Code Plans</li> <li>✗ Building Sections/Wall Sections/Detail Sections</li> <li>✗ Site/Grading/Landscape Plans</li> <li>✗ Window/Door Schedules</li> </ul>
<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"></div> <div style="text-align: center;"></div> <div style="text-align: center;"></div> <div style="text-align: center;"></div> </div>	
<p><b>*Deliverables are dependent on successfully meeting Capture Requirements.</b></p> <p><b>*The Floor Plan, Dimension Plan &amp; Ceiling Plan deliverable details can be found in the 2D CAD Package Deliverables Document. The Floor Plan, Dimension Plan &amp; Ceiling Plan Deliverables are offered as Premium with Imperial Units only for the 3D CAD Package.</b></p> <p><b>*3D CAD Package is Premium Only.</b></p>	

## Point Cloud Deliverables

The Point Cloud is Delivered within the DXF file, "Metric DXF." The DXF does not contain annotative text or dimensions of any kind. See [iGUIDE DXF Information](#) via the iGUIDE Help Center. \*

\* The DXF is an automatically generated copy of the iGUIDE Virtual Tour floor plan, whereas the DWG is manually drafted, and to different specifications. The DXF and DWG will not be 1 for 1.


The DXF deliverable does not change between 2D & 3D CAD Packages. See 2D CAD Package deliverables document.

## Floor Plan Deliverables


The 3D CAD Package Floor Plan deliverable will be Premium & Imperial Only. Additional details for the Floor Plan Deliverable can be found in the 2D CAD Package Deliverables Document. Outlined below are some key similarities, additions or differences to these deliverables contained within the 3D CAD Package.

### Floor Plan Views


The Floor Plan deliverable matches the 2D CAD Package's Premium Floor Plan Output and in Revit will appear as below:



*Figure # 1 - Floor Plan View in Revit*



*Figure # 2 - Premium Floor Plan Output as per 3D View in Revit*




*Figure # 3 - Premium Second Floor Plan Output as Per 3D View in Revit*

## Reflected Ceiling Plan Deliverables

The 3D CAD Package Ceiling Plan deliverable will be Premium & Imperial Only. Additional details for the Ceiling Plan Deliverable can be found in the 2D CAD Package Deliverables Document. Outlined below are some key similarities, additions or differences to these deliverables contained within the 3D CAD Package.

### Ceiling Plan Views

The Ceiling Plan deliverable matches the 2D CAD Package's Ceiling Plan Output and in Revit will appear as below:



*Figure # 4 - Ceiling Plan Output as per View in Revit*


Reflected ceiling plan (RCP) drawings are an essential tool in architecture and construction, offering a detailed depiction of the ceiling layout by reflecting it as if seen from below. Unlike traditional ceiling plans, RCP drawings incorporate additional information such as lighting fixtures, HVAC, and other ceiling-mounted or surface level elements.

These drawings typically rely on a combination of floor level measurements and 360-degree images to create a reliable representation. Floor level measurements provide the foundation for the layout, while 360-degree images capture a comprehensive view of the ceiling space from various angles. By integrating these two sources of information via an iGUIDE Camera System, RCP drawings aim to provide a more complete and reliable depiction of the ceiling layout.

While RCP drawings are based on measurements and images, it is important to recognize that they are still approximate representations. Factors such as perspective distortion, variations in ceiling height, ceilings exceeding one storey in height (14 feet, 4.3 meters) and the complexity of ceiling elements can affect the accuracy of the drawings. All room dimensions and floor areas must be considered approximate and are subject to independent verification.



*Figure # 5 - Ceiling Plan Elements as Viewed in a 3D Section*



*Figure # 6 - 3D Ceiling Components*

## Elevation Plan Deliverables

**File Format:** 2D AutoCAD 2018 drawing file (.dwg).

**Elevation Views:** A view (Drawing) of each core elevation; Front, Rear, Left & Right sides of the building faces (North, South, East, West).

- Attached Structures will only contain the elevational views relative/related to the target unit (E.g. Commercial Unit in a strip mall may only contain a Front & Rear Elevation as an occupying unit exists to the right & left of the target).

**Materials/Hatch Patterns\*:** An appropriate hatch pattern to represent material will appear on the Elevation Drawing.

- Hatch patterns are available for Siding, Metal, Brick, EIFS/Stucco, Stone, Wood, Wood Slats, CMU (Concrete Masonry Units), Shakers & Shingles.
- \*Custom Hatch Patterns will not be utilized. The next closest representative material will be used.




Figure # 7 - Hatch Pattern Library




**Grade Line\*:** An approximate, applicable grade line will be represented for each view.

- Below Grade Items: Any floor below the grade line will not be represented on the Drawings.
- Walk-Out Basements: An approximate grade line will be represented with slope to meet the below grade walk out basement level.
- Stepped Foundations: Each segment of the stepped foundation will be represented where appropriate to match the visuals captured by an iGUIDE Camera System.

**Openings\*:** Both Windows & Doors will be represented with an appropriate directional indicator.

- Attic Vents: Attic Vents typically located towards the peak of a gable, will be represented similar to a window.
- Opening Shapes: Windows & Doors will match the shape captured by an iGUIDE Camera System. Items such as transoms and sidelights will be available in the elevation.

\*Window & Doors do not contain any special trims, casing, or framing. Windows & Doors will not display any sills. Windows will not display any shutters next to them. Any additional protrusion or opening such as a dryer vent will not be represented.




*Figure # 8 - Door & Window Opening in Elevation*

**Objects:** Related to Mechanical items such as AC Units, Hydro Meters, Gas Meters, etc. that are represented on the Floor Plan, they will be represented in their appropriate locations on the Elevation.

**Exterior Elements:** Exterior Elements such as Patios, Decks & Porches that abut the building will be represented in the elevation. This includes railings, columns & stairs if applicable.

- Railing Types: Generic railings are available to depict glass, vertical/horizontal balusters or just guard rails but will not feature an exact replica of shape & style with the property.

**Attachments & Extensions:** Objects/Components such as awnings, overhangs, protrusions from the building will be modelled and represented with a generic material.




*Figure # 9 - Generic Attic Vent, Awning & Canopy*

**Spatial Depth Cues:** To convey a sense of depth, a hierarchy of line weights are used to convey if a building face is closer or further from the view.

**Datum Lines:** Key datum lines are represented on the elevation.

- Top of Floor, Underside of Ceiling, Roof.
  - The distance between the Underside of Ceiling & Top of Floor is by default 1'-0" (305mm) dependant on the available data captured by an iGUIDE Camera System.

\*Reliability of elevation drawings may be reduced due to technical and/or environmental limitations of the existing site conditions such as building obstructions, building heights exceeding 2 storeys, or extensive wall lengths lacking distinct features. All dimensions must be considered approximate and are subject to independent verification.



1

Figure # 10 - Elevation Deliverable as a DWG




Figure # 11 - Elevation Deliverable as Viewed in Revit




Figure # 12 - Elevation as Viewed in Revit (3D View)

Elevation Plan Comparison Matrix

	<b>Premium</b>
<b>Included</b>	<ul style="list-style-type: none"> <li>✓ Material Hatch Patterns</li> <li>✓ Floor to Floor Measurements</li> <li>✓ Datum Lines</li> <li>✓ Roof Placement &amp; Shape</li> <li>✓ Windows/Doors/Opening</li> <li>✓ Chimneys/Floor Level Mechanical</li> <li>✓ Depth Cueing</li> </ul>
<b>Not Included</b>	<ul style="list-style-type: none"> <li>✗ Window/Door Tags</li> <li>✗ Below Grade Elements (Foundation &amp; Footings)</li> <li>✗ Material Notations</li> <li>✗ Sills, Shutters &amp; Other Architectural Cosmetic Features</li> <li>✗ Roof Slope, Fascia, or Gutters</li> <li>✗ Signage</li> </ul>

## Roof Plan Deliverables

**File Format:** 2D AutoCAD 2018 drawing file (.dwg).


**Roofing Materials:** The roof plan will be shown with an appropriate hatch pattern for shaker/asphalt shingle roofs.

- Commercial roof plans contain no specified hatch patterns.


**Roof Geometry:** Roof connections such as ridges, valleys, hips, and gables are represented on the roof plan but are not denoted.

- Roof Outline: A solid line indicates the extent of the roof & its connections.


**Roof Slope:** Denoted on each segment of the roof with a directional arrow.



*Figure # 13 - Roof Plan Deliverable as a DWG*



*Figure # 14 - Roof Plan Deliverable as Viewed in Revit*



*Figure # 15 - Isolated Roof in Revit 3D View*

**Roof Components:** Parapets, access hatches, roof mounted equipment and skylights may appear on a roof plan.

- Ventilation: Vents, plumbing vents, gas vents, etc. will not be represented.
- Drainage: Roof Drains or any indication of slope will not be represented.




Figure # 16 – Roof Plan Represented with the Second Floor Plan

\*The roof plan may appear appended to the relevant floor plan depending on the cut plane.

Because it is often infeasible to scan most typical residential roofs, relevant exterior scans taken around and away from the perimeter of the property are required. While Roof Plan drawings are based on imagery via the iGUIDE Camera System & Satellite Imagery (when available), it is important to recognize that they are still approximate representations. Factors such as perspective distortion can affect the accuracy of the drawings. Without precise measurements, the drawn roof plan may only provide an approximation of the actual dimensions and layout. All dimensions must be considered approximate and are subject to independent verification.

### Roof Plan Comparison Matrix

	<b>Premium</b>
<b>Included</b>	<ul style="list-style-type: none"> <li>✓ Material Hatch Pattern</li> <li>✓ Direction of Roof Slope</li> <li>✓ Indication of Roof Connections</li> <li>✓ Commercial Flat Roofs</li> <li>✓ Commercial Mechanical items</li> </ul>
<b>Not Included</b>	<ul style="list-style-type: none"> <li>✗ Ventilation/Drainage</li> <li>✗ Roof Slope Values</li> <li>✗ Gutters/Fascia</li> </ul>
<b>*Deliverables are dependent on successfully meeting Capture Requirements.</b>	

## Model Deliverables

**File Format:** 3D 2020 Revit file (.rvt).

**Point Cloud:** The 2D DXF & *Point Cloud* is available within the Model as a “symbol” and hidden by default. The DXF layer will be represented at an arbitrary 4feet above the floor level per level.

**Families:** iGUIDE default proprietary families, with appropriate dimensions for easy modification or replacing with other families.

**Levels\*:** Set to the highest measured height per floor, plus a one-foot space between top of level and level of floor above to accommodate floor assembly, modeled with a default two-inch floor.

- Backsplits: Split levels greater than a four-foot difference will be separated onto their own floors.
- No separation of spaces will be shown when a part of the building is located on the same level but separated in the iGUIDE.
- Detached structures attached with a roof would be shown on the appropriate floor plan.

\*Spacing between levels may differ from the default 1'-0" based on additional capture requirements.

**Interior Walls:** Primarily modeled to follow standard dimensional lumber sizes. The most common interior wall thickness values will be 4 ½" (114mm) & 6 ½" (165mm).

- Wall Thicknesses: represented with a generic material set to ½" (13mm) intervals.
- Wall Placements: walls will be placed so room dimensions are to the nearest ¼" (6.5mm).
- Wall Heights: all represented at the highest elevation point of the floor.
  - Walls that do not reach the ceiling level will be represented as reliably as possible with the data available.
  - Half-walls will be set to a default of 4'-0" (1220mm).

**Exterior Walls:** Wall widths provided by an operator and ground level point cloud capture will be used as a starting point. The exterior wall width will be modified to adhere to standard dimensional lumber sizes, factoring in common brick or siding construction assembly thicknesses.

- Wall Thickness: Without supporting exterior data captured by an iGUIDE camera system, the exterior wall widths will be massaged to support vertically aligning floors based on interior point cloud data. Represented with a generic material set to ½" intervals.

**Curtain Walls:** Curved or straight curtain wall systems will be shown as a Stacked Curtain Wall.

**Structural Elements:** Features such as fireplaces and columns each have different representations.

- Columns: Solid objects with standard shapes to match the representation in iGUIDEs.




- Fireplaces\*: Single block outlining the extents of the fireplace with a label.  
\*Fireplaces are represented as rectangular or triangular.

**Floor to Floor Alignment:** Multi story properties will be aligned along common interior walls such as stairs. Exterior walls (as mentioned above) will be adjusted based on data interpretation, ground level capture and standard dimensional wall assemblies.

**Doors:** Door dimensions are represented to the nearest 2" (51mm) increment.

- Door Type: Door types accurately match the type represented in an iGUIDE.
- Door Widths: Represented to the nearest 2" (51mm) increment.
- Door Heights: Represented to the nearest 2" (51mm) increment.




*Figure # 17 - Door Types 3D View*

**Wall Openings:** Wall openings are represented to the nearest 1" (25mm) increment.


- Dimensions: Height from the floor as well as the opening width & height will be set to the nearest 1" (25mm) increment.
- Pass-Throughs: Openings in the wall that can either be walked through or if the base is off the floor, used for visibility or passing items through.

**Windows:** Windows are represented to the nearest 1" (25mm) increment.

- Window Type: Window types can be represented as Double-Hung, Single Hung, Louvers/Jalousie, Awning, Casement, Fixed, Sliding & Hopper.
- Window Shape: Square, Rectangular, Circular, Semi-Circular, Triangular.
- Window Width: Represented to the nearest 1" (25mm) increment.
- Window Height: Represented to the nearest 1" (25mm) increment.
- Window Elevation: Represented to the nearest 1" (25mm) increment.




*Figure # 18 - Window Types in 3D*



*Figure # 19 - Additional Window Types in 3D*

**Stairs:** Represented with single lines indicating the steps going up and down. Each set of stairs will have the corresponding label block.

- Stairs visible from four feet above the floor level descending are not shown and have a break-line.
- Stairs will meet their receiving level in 3D and have an associated generic railing generated.
- Stair tread depth and riser height is a default to match starting position and ending position. True number of risers is not represented in the model or the floor plans.



*Figure # 20 - Multi-Floor Stair ISO*


**Ceilings:** Ceilings are represented as flat. Ceiling dimensions are shown to the nearest 1" (25mm) increment. With 2" (51mm) generic Ceiling assembly.

**Complex Ceilings:** Provided a vertical wall that contacts the ceiling in combination with vertical scan capture, a Sloped, Peaked, Attic, or Tray ceiling type will be represented in Premium RVT files. Ceiling dimensions are shown to the nearest 1" (25mm) increment. With 2" (51mm) generic Ceiling assembly.

- Floating features, small bulkheads, and areas with no clear vertical data will not be represented.
- Tray ceilings will use a default one foot (1'-0") (305mm) dimension to indicate the depth.

**Exterior Spaces:** Generic two-inch floors representing the areas for exterior spaces (porches/patios/decks).

- Exterior Stairs/Ramps: Exterior Stairs and/or ramps will be represented in the Model and on the Floor Plan.
- Exterior Columns: External Columns that support the main structure will be represented in the model and on the Floor Plan.



*Figure # 21 - Porch, Columns & Stairs in 3D*

**Room Labels:** Annotative room labels with varying sizes used to clearly indicate specific rooms.

**Room Boundaries:** Outlining edges of rooms primarily used for determining the area of the room.

- Invisible Dividers separate spaces so rooms best match the iGUIDE.

**Room Areas:**

- Room Areas are indicated for Major Rooms such as bedrooms, kitchens, living rooms, etc.
- Room Areas are not indicated for Minor Rooms such as hallways, closets, etc.
- Room Areas for spaces such as voids and stairs are not indicated.

**Room Dimensions:**


- Single dimensions annotating the longest width and longest length for rooms that have dimensions displayed in the iGUIDE.
- Room dimensions are annotated to the interior face of wall to interior face of wall.
- Room dimensions are shown for major rooms, matching what is displayed on the iGUIDE.

**Room Heights:**


- Flat Ceilings will contain a single vertical dimension appended to the Room Label.
- Unfinished Ceilings are measured to the underside of the floor joist.
- Sloped, Vaulted or Tray Ceilings will be denoted as "VAR."

**Premium Objects:** Premium objects, millwork, and counters. Outlined with a solid thin thickness line below four feet from the floor level, and a dashed thin thickness line if under the counter, similar to the iGUIDE. Objects used in the model match the objects used in the iGUIDE.


- Base counter height is set to a height of 3'-0". No custom heights will be provided.
- Upper Cabinets will be a generic model with a default 1'-0" depth, 2'-0" height and 4'-6" above the finished floor level.



*Figure # 22 - Premium Kitchen Items in 3D*



*Figure # 23 - RVT Model Standalone Vs. RVT Model Package: Floor Iso*



*Figure # 24 - RVT Model Standalone Vs. RVT Model Package: 3D View*


## Model Comparison Matrix

	Premium
<b>Included</b>	<ul style="list-style-type: none"> <li>✓ 3D 2020 Revit file (.rvt).</li> <li>✓ Wall Types &amp; Placement</li> <li>✓ Wall Sizes at ½" Tolerances</li> <li>✓ Wall Placement at ¼" Tolerances</li> <li>✓ Door Types &amp; Placement</li> <li>✓ Window Types &amp; Placement</li> <li>✓ Stairs</li> <li>✓ Structural Elements (Columns as Basic Shapes)</li> <li>✓ Floor to Floor Alignment</li> <li>✓ Ceilings (Flat)</li> <li>✓ Complex Ceilings (Sloped, Tray, Boxed)</li> <li>✓ Ceiling Components (Surface Level Components)*</li> <li>✓ Point Cloud from DXF file</li> <li>✓ Exterior Spaces (Decks, Patios, Porches, etc.)</li> <li>✓ Sloped Roofs (Residential)*</li> <li>✓ Flat Roofs (Commercial)*</li> <li>✓ Elevational Façade Materials (Cosmetic)*</li> <li>✓ Room Labels</li> <li>✓ Room Areas</li> <li>✓ Ceiling Heights</li> <li>✓ Room Dimensions</li> <li>✓ Premium Objects (Cabinets, Fixtures, Appliances, Floor Level Mechanical)</li> </ul>
<b>Not Included</b>	<ul style="list-style-type: none"> <li>✗ Wall Material/Assembly Details</li> <li>✗ Floor Material/Assembly Details</li> <li>✗ Ceiling Material/Assembly Details</li> <li>✗ Roofing Material/Assembly Details</li> <li>✗ Sections</li> <li>✗ Project/Survey Coordinates</li> <li>✗ MEP (Mechanical, Electrical, Plumbing)</li> <li>✗ Site/Landscaping</li> <li>✗ Structure such as Beams &amp; Joists</li> </ul>
<p><b>*Inclusions are dependent on their relevant Add-ons. For example, to have ceiling components listed in the ceiling plan deliverables appear in the model, the add-on needs to be requested. The Model Deliverable can be ordered as a standalone product but does not reflect the model showcased for the 3D CAD Package.</b></p>	

## Dimension Plan Deliverables

The Dimension Plan is a default deliverable to the 3D CAD Package. Similar to an iGUIDE Alberta Measurement Diagram, the Dimension Plan offers interior “Paint to Paint” dimension strings. See 2D CAD Package for additional details.

### Dimension Plan View



*Figure # 25 - Dimension Plan View in Revit*



## Plotted Package Deliverables

**File Format:** .pdf.

**Sheet Size:** Standard Letter Size Paper - 8.5" x 11".

### Title Block Information:

**Drawing Title:** The Drawing Title will indicate the "Plan Type" followed by the "Level" of the property.

**Property Address:** The Property Address will reflect the address for the Work Order on an iGUIDE Portal.

**QR Code:** The QR code available on each sheet of the drawing package will link back to the Public URL of the iGUIDE Virtual Tour.

**Link to Virtual Tour:** The "Click Here" text will allow users viewing the PDF in a web browser to click and open the iGUIDE Virtual Tour. The link provided is the Public URL.

**Consultant Logo:** Blue iGUIDE branding image, indicating Planitar Inc. as the producer of the drawings.

**Date:** The date represents the completion date of the plot or the "Print" date.

**Scale:** The scale of the drawing will be determined based on the available paper space. Scale may be shown as 1/8" = 1'-0" up to 1/32" = 1'-0".

**Sheet Number:** The sheet numbers are adapted from elements of the US National CAD Standard. The Sheet Number is broken into 3 core elements, the "Discipline Designator", the "Sheet Type" and the "Sequence Numbers". The Point Cloud & Dimension Drawings are represented as a decimal sheet number in reference to the core Floor Plan Drawing.





Figure # 26 - Planitar Inc. Title Block



**Figure # 27 - Planitar Inc. Title Block**

**Disclaimer:** Do not scale drawings. Contractors must check and verify all dimensions. All room dimensions and floor areas must be considered approximate and are subject to independent verification. All documents remain the property of Planitar Inc. Unauthorized use, modifications, and/or reproduction of these documents is prohibited without written permission. The material contained herein reflects Planitar Inc.'s best judgement considering the information available at the time of preparation. Any use which a third party makes of the document, or any reliance on or decisions to be made based on them are the responsibility of such third parties. Planitar Inc. accepts no responsibility for damages, if any, suffered by any third party as a result of decisions made or actions based on the documents.

**Sheet Features:**

**North Arrow\*:** The North Arrow is based on the Consultants best judgement through Google Maps.

\*The North Arrow reflected on relevant sheets may not reflect the North Arrow represented on an iGUIDE PDF Floor Plan.

**Area Schedule\*:** The Area Schedule represents the Total Gross Area of the building Footprint. The Area Schedule will indicate up to 2 measurements, the Total Gross Area of the whole building and the Total Gross Area of the individual floor. Indicated by a solid blue line the measurement is taken to the furthest exterior point, "Brick to Brick" excluding outdoor elements such as patios, decks, porches, terraces & balconies.

\*This Gross Area is not in reference to any specified GFA or GLA Measurement Standard. The Area will not be identical to Planitar Inc.'s iGUIDE Method of Measurement or the Reported Interior or Exterior Area of the iGUIDE Report. The Measurement is purely approximate based on the Consultants best judgement considering the information available at the time of preparation. When documenting perimeter walls for levels above the ground level, as well as below-grade perimeter walls, it is important to note that achieving precise measurements may not be feasible due to several factors such as architectural complexities, structural elements, and limitations in access. All room dimensions and floor areas must be considered approximate and are subject to independent verification.





Figure # 28 - Gross Area Measurement, Area Schedule

**Unique Sheets:**


**Dimension Drawing:** Similar to iGUIDE's Measurement Diagrams, the Dimensions Drawing provided contains full Interior Dimension strings. There may be 2-4 core interior strings width & length wise of the building.

- For more complicated building geometry, more dimension strings may be represented.
- For less complicated building geometry, less dimension strings may be represented.



*Figure # 29 - Dimension Drawing Plotted on PDF*

**Point Cloud Drawing:** The Point Cloud Drawing is the visible plotted laser data captured by an iGUIDE camera system.



*Figure # 30 - Point Cloud Plotted on PDF*

**Legend:** Unlike conventional construction drawings, space is limited so a Legend sheet or "Appendix" is available at the end of the package. The Legend contains all available symbols for Reflected Ceiling Plans and Floor Level Mechanical and any Hatch Pattern used for other drawings.

Reflected Ceiling Plan Legend		Mechanical Equipment Legend		Hatch Patterns	
	Recessed Light		Ceiling Fan		Furnace
	Ceiling Mounted				Electrical Panel
	Wall light				Air Condition
	Pendant/Suspended				Smoke Detector
	Fluorescent Suspended Light		Carbon Monoxide		Hydro Meter
	Recessed Fluorescent Suspended Light		Speaker		Gas Meter
	Track		Fire Alarm		Water Meter
	Linear Strip				Hot Water Heater
	Air				Heat Recovery Ventilator (HRV)
	Air Vent				Water Softener
	Exhaust Fan				Chimney
	Emergency Light - Wall Mounted				Rooftop Unit
	Emergency Light - Ceiling Mounted with Arrow				
	Emergency Light - Ceiling Mounted				
	Emergency Battery				
	Air Grill				
<b>Legend</b>				<a href="#">Click here</a> Scan to view 3D walkthrough	
				Date: 2024-04-18    Scale: 1/4" = 1'-0"    Legend	

Figure # 31 - Legend/Appendix Sheet

## Plotted Package Comparison Matrix

	<b>Premium</b>
<b>Included</b>	<ul style="list-style-type: none"> <li>✓ Plans (Floors, Ceilings, Dimensions, Roof, Elevations)</li> <li>✓ Point Cloud</li> <li>✓ Sheet Name</li> <li>✓ Property Address</li> <li>✓ Measurement Disclaimer</li> <li>✓ QR Code &amp; Virtual Tour Link (Public URL)</li> <li>✓ iGUIDE Branding Logo</li> <li>✓ Production Date</li> <li>✓ Drawing Scale</li> <li>✓ Sheet Number</li> <li>✓ Legend/Appendix</li> <li>✓ North Arrow</li> <li>✓ Area Boundary Measurement</li> </ul>
<b>Not Included</b>	<ul style="list-style-type: none"> <li>✗ Revision Table</li> <li>✗ Custom Client Branding</li> <li>✗ Permit Stamp/Permitting Stamp Area</li> <li>✗ Custom Sheet Sizes such as 11x17, 18x24 or 24x36</li> </ul>

## Additional Information

This section of the document provides additional information not contained within the core body of the deliverables above.

### Data Interpretation – North America

Data Assumptions/Deviations: In the goal of providing a workable model and subsequent DWG files that has walls at appropriate thicknesses and locations, there will be some assumptions made that may result in deviations from the laser data. Accuracy is always a valuable deliverable, with these assumptions, the DWG file produced maintains its accuracy while also being easily modifiable for any uses. In the cases where the laser data proves to be more accurate, less assumptions will be made, and vice versa, if the laser data is of inadequate quality, more assumptions will be made.

Dimensional Lumber Assumptions: As stated in Interior Walls, typical wall thicknesses will utilize dimensional lumber increments and increase relative to the laser data but not be strictly governed by them. The data will be used as a reference with some discrepancies to ensure the consistency of interior wall thicknesses.

Exterior Wall Assumptions: To ensure the exterior face of all perimeter walls are aligned from floor to floor (with reference to the iGUIDE to determine if a wall is not aligned) the exterior wall thicknesses may deviate from the data provided. This ensures a clean, usable starting point that is aligned and easily editable for continuing the process of completing the file.

### Data Interpretation – Outside North America

Wall Assumptions: As stated in Interior Walls, typical wall thicknesses will utilize dimensional lumber increments and increase relative to the laser data but not be strictly governed by them. Walls drawn for properties outside of North America will be drawn against the Point Cloud to the nearest ½" (13mm) whereas room dimensions will be measured to the nearest ¼" (6.5mm). Interior walls and exterior walls may not contain consistent uniform thicknesses.

Verticality & Alignment: To ensure wall measurements are to the nearest ½" (13mm) for interior walls & exterior walls, full floor to floor alignment may not match and cannot be guaranteed for the model and DWG files.

### Complex Properties

Properties of unusual build/architecture may not be possible to provide. Even with an iGUIDE Camera System with detailed lidar capture/scan coverage, providing comprehensive information about complex building structures may not be feasible. While the technology enables precise measurements and mapping, the intricate designs, and functionalities of certain structures, may pose challenging in delivering reliable data.

Complex Properties may include but are not limited to, Yurts, Domes, Places of Worship, Theatres, Stadiums, Arenas, Industrial Facilities, etc. Complex Properties, if completed, may contain limited details. iGUIDEs of non-building structures such Planes, Train & Automobiles will not be provided.



## Gallery

### Full Premium PDF Package + Ceiling Add-on

Below is the full Premium Package output which would include the ceiling plan add-on:

Floor Plan - Basement	<b>A101</b>
Point Cloud - Basement	<b>A101.1</b>
Dimension Plan - Basement	<b>A101.2</b>
Floor Plan – Main Floor	<b>A102</b>
Point Cloud – Main Floor	<b>A102.1</b>
Dimension Plan – Main Floor	<b>A102.2</b>
Floor Plan – Second Floor	<b>A103</b>
Point Cloud – Second Floor	<b>A103.1</b>
Dimension Plan – Second Floor	<b>A103.2</b>
Floor Plan – Attic	<b>A104</b>
Point Cloud – Attic	<b>A104.1</b>
Dimension Plan – Attic	<b>A104.2</b>
Roof Plan	<b>A105</b>
RCP – Basement	<b>A106</b>
RCP – Main Floor	<b>A107</b>
RCP – Second Floor	<b>A108</b>
RCP – Attic	<b>A109</b>
Front Elevation	<b>A201</b>
Right Elevation	<b>A202</b>
Rear Elevation	<b>A203</b>
Left Elevation	<b>A204</b>
LEGEND	<b>LEGEND</b>




Figure # 32 - Floor Plan - Basement




Figure # 33 - Point Cloud - Basement




Figure # 34 - Dimension Plan - Basement




Figure # 35 - Floor Plan - Main Floor



Figure # 36 - Point Cloud - Main Floor




Figure # 37 - Dimension Plan - Main Floor




Figure # 38 - Floor Plan - Second Floor




Figure # 39 - Point Cloud - Second Floor




Figure # 40 - Dimension Plan - Second Floor




Figure # 41 - Floor Plan - Attic




Figure # 42 - Point Cloud - Attic




Figure # 43 - Dimension Plan - Attic




Figure # 44 - Roof Plan




Figure # 45 - RCP - Basement






Figure # 46 - RCP - Main Floor




Figure # 47 - RCP - Second Floor




Figure # 48 - RCP - Attic




Figure # 49 - Elevation - Front




Figure # 50 - Elevation - Right




Figure # 51 - Elevation - Rear




Figure # 52 - Elevation - Left




Figure # 53 - Legend - Final Page